

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION N	0.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/662,250		09/15/2003	Geraldine Phippen		2417	
20606	7590	04/28/2005		EXAMINER		
KEITH FRANTZ				KRAMER	KRAMER, DEAN J	
401 WEST STATE STREET SUITE 200				ART UNIT	PAPER NUMBER	
ROCKFORD, IL 61101			3652			
			DATE MAILED: 04/28/2005			

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)				
Office Action Summary		10/662,250	PHIPPEN, GERALDINE				
		Examiner	Art Unit				
		Dean J. Kramer	3652				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).							
Status							
1)[🖂	Responsive to communication(s) filed on <u>15 April 2005</u> .						
2a)□	This action is <b>FINAL</b> . 2b)⊠ This	action is non-final.					
3)□	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposit	ion of Claims						
5)⊠ 6)⊠	Claim(s) 1-3,5-9 and 12-21 is/are pending in the application.  4a) Of the above claim(s) is/are withdrawn from consideration.  Claim(s) 9,12-17,20 and 21 is/are allowed.  Claim(s) 1,5-8,18 and 19 is/are rejected.  Claim(s) 2 and 3 is/are objected to.						
Applicat	ion Papers						
9) The specification is objected to by the Examiner.							
10)[	☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.						
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
11)	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).  The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority ι	ınder 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) All b) Some * c) None of:  1. Certified copies of the priority documents have been received.  2. Certified copies of the priority documents have been received in Application No  3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).  * See the attached detailed Office action for a list of the certified copies not received.							
Attachmen	t(s)						
	e of References Cited (PTO-892)	4) Interview Summary					
3) 🔲 Inforr	e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) r No(s)/Mail Date	Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate atent Application (PTO-152)				

Art Unit: 3652

### **DETAILED ACTION**

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submissions filed on 3/15/05 and 4/15/05 have been entered.

## Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1, 5-8, 18, and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Estay in view of Jones et al..

Estay shows a device for the collection of a urine specimen comprising an integrally formed holder having a central extension member (12), a cup holder portion (20), and a handle (28). The holder is broadly disclosed as being capable of being made of plastic, metal, or various other materials with at least the cup holder portion (20) being slightly flexible (see col. 4, lines 36 and 37).

Application/Control Number: 10/662,250 Page 3

Art Unit: 3652

The patent to Jones et al. shows an embodiment in Figures 9-11 comprising a bendable cup holder (140) for releasably supporting a urine specimen cup (142) with lid (151). The holder (140) is integrally formed but can be bent about its length to allow a user to properly position the held cup.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to form the entire central extension member (12) and cup hold portion (20) of Estay's device out of a bendable metal or plastic as taught by Jones et al. so that a user could bend the device into a position to accurately locate a held cup in a desired area. It also would have been obvious to hold a plastic specimen cup with lid in the modified Estay device similar to that (142,151) shown in the Jones et al. patent in order to safely contain the specimen once collected.

## Allowable Subject Matter

- 3. Claims 2 and 3 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.
- 4. Claims 9, 12-17, 20, and 21 are allowed.

### Conclusion

5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Moore et al. and Maier et al. both show receptacle holders formed of bendable wire.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dean J. Kramer whose telephone number is (571) 272-6926. The examiner can normally be reached on Mon., Tues., Thurs., Fri. (7:00-5:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eileen Lillis can be reached on (703) 308-1113. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Dean J. Kramer
Primary Examiner

Art Unit 3652

djk 4/25/05